

Kejie KR-2513

SITE READINESS DOCUMENT

Prerequisites for KEJIE KR - 2513

Contents

1. Power Supply
2. Computer
3. Environment
4. Floor & Space

Power Requirements

- Total Power Consumption is 5KW.
- Machine needs single phase AC 220V, 23 Amps (+ / - 10%), 50/60Hz.
- Uninterrupted power supplies (flicker-free) should be provided as it has digital circuit.
- Proper earthing should be required.
- Printer and computer must share same exclusive earthing.

Computer

Recommended Requirements

- Intel Core i7 14th Gen
- 32GB RAM or more
- Solid State Disk 1TB (minimum)
- Video/Graphics Card 8G
- USB 3.1
- Windows 11 Licensed(64bit)

Note: If the computer system configuration does not meet the specifications as mentioned earlier, printer performance will slow down (which will affect the printing data transfer).

Environment Requirements

- Room temperature should be maintained at 18-28 degrees Celsius with humidity 20-60% RH.
- There should not be air draught in the room
- Closed dust-free room exclusive for Printer

Floor & Space

- **Machine Dimensions** : 4500 x 2100 x 1700 mm (LxWxH)
- **Packing Dimension** : 4830 x 2390 x 1840 mm (LxWxH)
- **Machine Net Weight** : ~1650kg
- **Machine Gross Weight** : ~1850kg

Room Dimension

Room Dimension: 7000mm (L) X 3500mm (W) X 3000mm (H)

Note: Width of the room entrance must be more than 2860 mm (including gantry) to move the machine inside in a single piece easily.

Please find Site Plan layout in the next sheet.

Site Layout of the KEJIE KR – 2513

